

Issue Classification 	Application/Control No. 10/552,303	Applicant(s)/Patent under Reexamination VU ET AL.
	Examiner /Venkataraman Balasubramanian/	Art Unit 1624

ISSUE CLASSIFICATION

ORIGINAL		INTERNATIONAL CLASSIFICATION										
CLASS		SUBCLASS		CLAIMED			NON-CLAIMED					
514		245		C	07	D	487	/04			/	
CROSS REFERENCES					C	07	D	403	/04			/
CLASS	SUBCLASS (ONE SUBCLASS PER BLOCK)				C	07	D	403	/06			/
544	206	207	211	212	C	07	D	403	/14			/
					A	61	K	31	/53			/
					A	61	P	25	/16			/
									/			/
					<i>Venkataraman Balasubramanian</i>				Total Claims Allowed: 36			
(Assistant Examiner)		(Date)		VENKATARAMAN BALASUBRAMANIAN PRIMARY EXAMINER				O.G. Print Claim(s)		O.G. Print Fig.		
<i>[Signature]</i>		6/11/07		(Primary Examiner) (Date)				6/8/07		1		
(Legal Instruments Examiner)		(Date)								--		

Venkatesammi Balasubramanian

Total Claims Allowed: 36

(Assistant Examiner)

(Date)

**VENKATARAMAN BALASUBRAMANIAN
PRIMARY EXAMINER**

(Primary Examiner)

(Date)

O.G.
Print Claim(s)

O.G.
nt Fig.

(Legal Instruments Examiner) (Date)

611107

618107

1

<input type="checkbox"/> Claims renumbered in the same order as presented by applicant		<input type="checkbox"/> CPA		<input type="checkbox"/> T.D.		<input type="checkbox"/> R.1.47	
Final	Original	Final	Original	Final	Original	Final	Original
1	1	24	31	61	91	121	151
	2		32	62	92	122	152
2	3	25	33	63	93	123	153
3	4	26	34	64	94	124	154
4	5	27	35	65	95	125	155
5	6	28	36	66	96	126	156
6	7	39	37	67	97	127	157
7	8	30	38	68	98	128	158
8	9	31	39	69	99	129	159
9	10		40	70	100	130	160
10	11		41	71	101	131	161
11	12		42	72	102	132	162
12	13		43	73	103	133	163
13	14		44	74	104	134	164
14	15		45	75	105	135	165
15	16		46	76	106	136	166
16	17	32	47	77	107	137	167
17	18		48	78	108	138	168
18	19		49	79	109	139	169
19	20		50	80	110	140	170
20	21		51	81	111	141	171
21	22	33	52	82	112	142	172
22	23	34	53	83	113	143	173
23	24	35	54	84	114	144	174
25		36	55	85	115	145	175
26			56	86	116	146	176
27			57	87	117	147	177
28			58	88	118	148	178
29			59	89	119	149	179
30			60	90	120	150	180